

[PubMed](#)
[Nucleotide](#)
[Protein](#)
[Genome](#)
[Structure](#)
[PMC](#)
[Taxonomy](#)
[OMIM](#)
[Books](#)

Search for

[Limits](#)
[Preview/Index](#)
[History](#)
[Clipboard](#)
[Details](#)

Range: from to
 Features:
 ☐ SNP
 ☐ CDD
 ☒ MGC
 ☐ HPRD
 ☐ STS

☐ 1: [2006271A](#). Reports Phe ammonia lyase...[gi:741010]

[BLink](#), [Domains](#),
[Links](#)

LOCUS 2006271A 725 aa linear PLN 10-JUL-1992
 DEFINITION Phe ammonia lyase.
 ACCESSION 2006271A
 VERSION 2006271A GI:741010
 DBSOURCE prf: locus 2006271A;

state: embryo;
 taxonomy: Plantae.
 KEYWORDS Phe Ammonia Lyase; Trifolium subterraneum; PAL1 Gene;
 Acc.No.M91192; PCR Amplification; AAAIMEHI; EQHNQDV; Seq
 Determination; 3300bp; 725AAs; DNA Blot; Multigene Family.
 SOURCE Trifolium subterraneum
 ORGANISM Trifolium subterraneum
 Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 rosids; eurosids I; Fabales; Fabaceae; Papilionoideae; Trifolieae;
 Trifolium.

REFERENCE 1 (residues 1 to 725)
 AUTHORS Howles,P.A., Arioli,T. and Weinman,J.J.
 TITLE Characterization of a phenylalanine ammonia-lyase multigene family
 in Trifolium subterraneum
 JOURNAL Gene 138(1/2), 87-92 (1994)
 COMMENT EC=2.3.1.74:GENE=PAL1.
 FEATURES Location/Qualifiers
 source 1..725
 /organism="Trifolium subterraneum"
 /db_xref="taxon:3900"

ORIGIN



```

1 mevvaailk nnindydsfc lthanannmk vnaadplnwg vaaeamkgsh ldevkrmvee
61 yrkpvvrlgg etltisqvaa iaahdgatve lsesaragvk assdwvmesm nkgtdsygvt
121 tgfgatshrr tkqggalqke lirflnagif gngtesnhtl fhtatraaml vrintllggy
181 sgirfeilea itkllnnnit pclplr tit asgdlvplsy iaglltgpsn skahgpgsem
241 lnakeafqla ginaeffelq pkeglalvng tavgsglasi vlfeanilav lsevlsaifa
301 evmqgkpeft dhlthklkhh pgqieaaaam ehilhgsayv kdakklhemd plqkpkqdry
361 alrtspqwlq plievirfst ksiereinsv ndnplidvsr nkalhggnfq gtpigvsmnd
421 trlalasigk llfaqfselv ndfynnglps nlsasrnpsl dygfkgeia masycselqy
481 lanpvtthvq saeqhnqdv nslglissrkt keaieilqlm sstflialcq aidlrhleen
541 lknsvkntvs qvakktltig vsgehlpsrf cekdllkvvd rehvfisyidd pcsatyplaq
601 klrqvlvdha lvngesekns ntsifqkiat feeelktllp kevesartay engnstiank
661 ingcrsypl ykfvreelgts lltgervisp geedklfta mcqgkiidpl lklclgewnga
721 plpic
  
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

[PubMed](#)
[Nucleotide](#)
[Protein](#)
[Genome](#)
[Structure](#)
[PMC](#)
[Taxonomy](#)
[OMIM](#)
[Books](#)

Search for


[Limits](#)
[Preview/Index](#)
[History](#)
[Clipboard](#)
[Details](#)

Range: from to
 Features:
 ☐ SNP
 ☐ CDD
 ☒ MGC
 ☐ HPRD
 ☐ STS

☐ 1: [P45726](#). Reports Phenylalanine amm...[gi:1171998]

[BLink](#), [Domains](#),
[Links](#)

LOCUS P45726 714 aa linear PLN 01-MAY-2005
 DEFINITION Phenylalanine ammonia-lyase.
 ACCESSION P45726
 VERSION P45726 GI:1171998
 DBSOURCE swissprot: locus PALY_CAMSI, accession [P45726](#);
 class: standard.
 created: Nov 1, 1995.
 sequence updated: Nov 1, 1995.
 annotation updated: May 1, 2005.
 xrefs: [D26596.1](#), [BAA05643.1](#)
 xrefs (non-sequence databases): [HSSPP21310](#), [InterProIPR008948](#),
[InterProIPR001106](#), [InterProIPR005922](#), [PfamPF00221](#),
[TIGRFAMsTIGR01226](#), [PROSITEPS00488](#)
 KEYWORDS Lyase; Phenylpropanoid metabolism.
 SOURCE *Camellia sinensis* (black tea)
 ORGANISM *Camellia sinensis*
 Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 asterids; Ericales; Theaceae; *Camellia*.
 REFERENCE 1 (residues 1 to 714)
 AUTHORS Matsumoto, S., Takeuchi, A., Hayatsu, M. and Kondo, S.
 TITLE Molecular cloning of phenylalanine ammonia-lyase cDNA and
 classification of varieties and cultivars of tea plants (*Camellia*
sinensis) using the tea PAL cDNA probe
 JOURNAL Theor. Appl. Genet. 89, 671-675 (1994)
 REMARK NUCLEOTIDE SEQUENCE.
 STRAIN=cv. Yabukita; TISSUE=Leaf
 COMMENT [FUNCTION] This is a key enzyme of plant metabolism catalyzing the
 first reaction in the biosynthesis from L-phenylalanine of a wide
 variety of natural products based on the phenylpropane skeleton.
 [CATALYTIC ACTIVITY] L-phenylalanine = trans-cinnamate + NH(3).
 [PATHWAY] Phenylpropanoid biosynthesis; first step.
 [SUBCELLULAR LOCATION] Cytoplasmic (Probable).
 [PTM] Contains an active site 4-methylidene-imidazole-5-one (MIO),
 which is formed autocatalytically by cyclization and dehydration of
 residues Ala-Ser-Gly (By similarity).
 [SIMILARITY] Belongs to the PAL/histidase family.
 FEATURES
 Location/Qualifiers
 source 1..714
 /organism="Camellia sinensis"
 /db_xref="taxon:4442"
 gene 1..714
 /gene="PAL"
 Protein 1..714
 /gene="PAL"



Bond /product="Phenylalanine ammonia-lyase"
/EC_number="4.3.1.5"
bond(200,202)
/gene="PAL"
/bond_type="xlink"
/note="5-imidazolinone (Ala-Gly) (By similarity)."
/evidence=not_experimental

Site 201
/gene="PAL"
/site_type="modified"
/note="2,3-didehydroalanine (Ser) (By similarity)."
/evidence=not_experimental



ORIGIN

```
1 mdsttaigng vsgggspgfc lkdplnwgva aeamkgshle evkgmveefr kpvvrlgget
61 ltisqvaaia vrgsevavel sesaregvka ssdwvmesmn kgtdsygvtt gfgatshrtr
121 keggalqkel irflnagifg ngteschtlp qsatraamlv rintllqgys girfeileai
181 skflnnnitp clplrgtita sgdlvplsyi aglltgrhns kavgptgeil hpkeafrlag
241 veggffelqp keglalvngt avsgglasmv lfeanilavl sevlsaifae vmggkpeftd
301 hlthklkhhp gqieaaaime hildgssyvk aaqklhemdp lqkpkqdrya lrtspqwlgp
361 lievirsstk siereinsvn dnplnvsrn kalhggnfqg tpigvsmndt rlavasigkl
421 mfaqfseivn dfynnglpsn lsggrnpsld ygfkgaieam aaycselqfl anpvtnhvqs
481 aeqhnqdvns lgliissrka eavdilklms stylvalcqa vdlrhfeenl rntvkstvsq
541 vakrvltmgv ngelhpsrhc ekdlrrvdr eyifayiddp csatyplmqk lrqvlvehal
601 kngeseknls tsifqkiraf eeeiktllpk evestraaie ngnsaipnri kecrsyplyk
661 fvreelgtel ltgekvrspg eefdkvftal ckgemidplm dclkewngap lpic
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Books

Search ☒ for

Limits Preview/Index History Clipboard Details

☒

Range: from to Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: [CAA68938](#). Reports PAL1 protein [Pet...[gi:1524313]

BLink, Domains,
Links

LOCUS CAA68938 716 aa linear PLN 02-SEP-1996
 DEFINITION PAL1 protein [Petroselinum crispum].
 ACCESSION CAA68938
 VERSION CAA68938.1 GI:1524313
 DBSOURCE embl locus PCPAL1, accession [Y07654.1](#)
 KEYWORDS
 SOURCE Petroselinum crispum (parsley)
 ORGANISM Petroselinum crispum
 Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 asterids; campanulids; Apiales; Apiaceae; Apioideae; apioid
 superclade; Apium clade; Petroselinum.
 REFERENCE 1
 AUTHORS Kang,X., Logemann,E. and Hahlbrock,K.
 TITLE Cis-acting elements of the parsley pal1 gene
 JOURNAL Unpublished
 REFERENCE 2 (residues 1 to 716)
 AUTHORS Kang,X.
 TITLE Direct Submission
 JOURNAL Submitted (27-AUG-1996) X. Kang, Max-Planck-Institut, Biochemistry,
 Carl-von-Linne-Weg 10, 50829 Cologne, FRG
 COMMENT Related sequences X16772 (exon2), and X15473 (5'UTR and exon1).
 FEATURES
 source 1..716
 /organism="Petroselinum crispum"
 /db_xref="taxon:4043"
 /clone="xk-Pcpall"
 /cell_line="Pc-5 /5"
 /tissue_type="cell suspension"
 Protein 1..716
 /product="PAL1 protein"
 CDS 1..716
 /gene="pal1 gene"
 /coded_by="join(Y07654.1:1969..2375,Y07654.1:3169..4912)"
 /db_xref="GOA:P24481"
 /db_xref="UniProt/Swiss-Prot:P24481"

ORIGIN

```

1  mengngattn ghvngngmdf cmktdedplyw giaaeamtgs hldevkkmva eyrkpvvklg
61  getltisqva aisardgsgv tvelseaara gvkassdwvm dsmnkgtdsy gvtgtfgats
121 hrrtkqggal qkelirflna gifngsdnt lphsatraam lvrintl1qg ysgirfeile
181 aitkflnqni tpclplrgti tasgdlvpls yiaglltgrp nskavgptgv ilspeeafkl
241 agveggffef qpkeglalvn gtavsgsmas mvlfeanila vlaevmsaif aevmqgkpef
301 tdhlthklkh hpggieaaai mehildgsay vkaaqlhem dplqkpkqdr yalrtspqwl
361 gpgievirss tkmiereins vndnplidvs rnkaihggnf qgtpigvsm d ntrlaiaaig
421 klmfaqfsel vndfynnglp snlsggrnps ldygfkgaie amasytselq flantpvtnhv



```

481 qsaeqhnqdv nslglissrk tseaveilk1 msttflvglc qaidlrhlee nlkstvkntv
541 ssvakrvltm gvngelhpsr fcekdllrvv dreyifayid dpcsatyp1m qklrqt1veh
601 alknqdnern lstsifqkia tfedelkall pkevesaraa lesnpaipn rieecrsypl
661 ykfvrkelgt eyltgekvts pgeefekvfi amskgeiidp llecleswng aplpic

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

PubMed Nucleotide **Protein** Genome Structure PMC Taxonomy OMIM Books

Search for

Limits Preview/Index History Clipboard Details

Range: from to Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: AAG49585. Reports phenylalanine amm...[gi:12240240]

BLink, Domains,
Links

LOCUS AAG49585 711 aa linear PLN 16-JAN-2001
 DEFINITION phenylalanine ammonia-lyase [Ipomoea nil].
 ACCESSION AAG49585
 VERSION AAG49585.1 GI:12240240
 DBSOURCE locus AF325496 accession AF325496.1
 KEYWORDS .
 SOURCE Ipomoea nil (Japanese morning glory)
 ORGANISM Ipomoea nil
 Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 asterids; lamiids; Solanales; Convolvulaceae; Ipomoeae; Ipomoea.
 REFERENCE 1 (residues 1 to 711)
 AUTHORS Nakazawa,A., Nozue,M., Yasuda,H., Takeba,G. and Kubo,H.
 TITLE Expression of phenylalanine ammonia-lyase in Pharbitis nil
 JOURNAL Unpublished
 REFERENCE 2 (residues 1 to 711)
 AUTHORS Nakazawa,A., Nozue,M., Yasuda,H., Takeba,G. and Kubo,H.
 TITLE Direct Submission
 JOURNAL Submitted (01-DEC-2000) Biology, Shinshu University, Asahi 3-1-1,
 Matsumoto 390-8621, Japan
 COMMENT Method: conceptual translation supplied by author.
 FEATURES Location/Qualifiers
 source 1..711
 /organism="Ipomoea nil"
 /cultivar="Violet"
 /db_xref="taxon:35883"
 Protein 1..711
 /product="phenylalanine ammonia-lyase"
 /EC_number="4.3.1.5"
 CDS 1..711
 /coded_by="join(AF325496.1:1034..1419,
 AF325496.1:2409..4158)"

ORIGIN

```



1 mdsvklqngn hqngfcvkvd plnwevaads lrgshldevk vmvaefrkpa vklggetltv
61 aqvaaiasrd navtvelsee sragvkassd wvmdsmnkgd dsygvttgfg atshrrtkqg
121 galqkelirf lnagifngt eschtlphsa traamlvrin tllqgysgir feileaitkl
181 lnhnitpcpl lrgtitasgd lvplsyiagl itgrpnskav gpngetlnae ealrlagvng
241 gffelqpkeg lalvngtavg sgmasmvlfe anvlavlsev lsaifaevmn gkpeftdhlt
301 hklkhpggqi eaaaimehil dgssyvkaa qkmhemdplqk pkqdryalrt spqwlgpqie
361 viraatkmei reinsvndnp lidvarska l hggnfqgtpi gvsmdnsrla lasigklfla
421 qfselvndyy nnglpsnlta grnpsldygf kgaaiamasy cselqflanp vtnhvsaeq
481 hnqdvnsllg lsarktaeav dvlklmssty lvalcqaidl rfleenlrna vknavtqvak
541 rltltmgange lhparfcked llrvvdreyv fayaddpcsa nyplmqklrq alvdhalsng
601 esekntgtst flkvaafede lkavlpkeve aariavesgn paipnriec rsyplykfvr
661 eglgtelltg ekvrspgeec dkvftamceg siidpllecl kswdgaplpi c

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Books

Search for

Limits Preview/Index History Clipboard Details

Range: from to
 Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: [AAL55242](#). Reports phenylalanine amm...[gi:18001007]

BLink, Domains,
Links

LOCUS AAL55242 711 aa linear PLN_01-MAR-2005
 DEFINITION phenylalanine ammonia-lyase [*Lactuca sativa*].
 ACCESSION AAL55242
 VERSION AAL55242.1 GI:18001007
 DBSOURCE accession [AF299330.1](#)
 KEYWORDS .
 SOURCE *Lactuca sativa*
 ORGANISM *Lactuca sativa*
 Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 asterids; campanulids; Asterales; Asteraceae; Cichorioideae;
 Cichorieae; *Lactuca*.
 REFERENCE 1 (residues 1 to 711)
 AUTHORS Campos,R., Nonogaki,H., Suslow,T. and Saltveit,M.E.
 TITLE Isolation and characterization of a wound inducible phenylalanine
 ammonia-lyase gene (LsPAL1) from Romaine lettuce leaves
 JOURNAL *Physiol. Plantarum* 121 (3), 429-438 (2004)
 REFERENCE 2 (residues 1 to 711)
 AUTHORS Campos-Vargas,R., Nonogaki,H., Suslow,T. and Saltveit,M.
 TITLE Direct Submission
 JOURNAL Submitted (25-AUG-2000) Vegetable Crops, University of California
 Davis, One Shields Ave., Davis, CA 95616, USA
 COMMENT Method: conceptual translation supplied by author.
 FEATURES Location/Qualifiers
 source 1..711
 /organism="Lactuca sativa"
 /db_xref="taxon:4236"
 Protein 1..711
 /product="phenylalanine ammonia-lyase"
 /name="PAL1"
 CDS 1..711
 /coded_by="AF299330.1:119..2254"

ORIGIN



```

1  mengnhvngv vnelcikdpl nwgvaeealt gshldevkkm vaefrkpvvk lggetltvsq
61  vagiaaands dtvkvelsea aragvkassd wvmesmknkg dsygvttgfg atshrtrtkqg
121 galqkelirf lnagifngt etshtlphsa traamivrin tllqgysgir feileaitkf
181 lnnnitpcpl lrgtitasgd lvplsyiagl ltgrpnskav gptgevlvae kafaaagveg
241 gffelqpkeg lalvngtavg sgmasmvlfv anvlallsev lsaifaevmq gkpeftdhlt
301 hklkhpgqgi eaaameyil dgsdyvkaa qvhemdplqk pkqdryalrt spqwlqpgie
361 virsstkmie reinsvndnp lidvsrnkal hggngfgtpti gvsmdntrla iaaigklmfa
421 qfselvndfy nnglpsnlsg grnpsldygf kggeiamasy cselqflapn vtnhvsqaeq
481 hnqdvnsigl isarktaeav dilklmssty lvalcgsidl rhleenmkst vkntvsqvak
541 kvltmgvnge lhpsrfcekd llrvvdreyv fayiddvcsg typlmqklrq vlvdhalnng
601 etekntntsi fqkiatfeee lkvllpkeve gvriayendt lsipnrikac rsyplyrfvr
661 eelgrgfltg ekvtspgeef drvftamckg qiidpllecl ggwngeplpi c
  
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Books

Search for

Limits Preview/Index History Clipboard Details

Range: from to Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: [O49836](#). Reports Phenylalanine amm...[gi:3914262]

BLink, Domains,
Links

LOCUS O49836 705 aa linear PLN 01-MAY-2005
 DEFINITION Phenylalanine ammonia-lyase 2 (PAL-2).
 ACCESSION O49836
 VERSION O49836 GI:3914262
 DBSOURCE swissprot: locus PAL2_LITER, accession [O49836](#);
 class: standard.
 created: Dec 15, 1998.
 sequence updated: Dec 15, 1998.
 annotation updated: May 1, 2005.
 xrefs: [D83076.1](#), [BAA24929.1](#), [JC5873](#)
 xrefs (non-sequence databases): HSSPP21310, InterProIPR008948,
 InterProIPR001106, InterProIPR005922, PfamPF00221,
 TIGRFAMsTIGR01226, PROSITEPS00488
 KEYWORDS Lyase; Multigene family; Phenylpropanoid metabolism.
 SOURCE Lithospermum erythrorhizon
 ORGANISM Lithospermum erythrorhizon
 Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 asterids; lamiids; Boraginaceae; Lithospermum.
 REFERENCE 1 (residues 1 to 705)
 AUTHORS Yazaki,K., Kataoka,M., Honda,G., Severin,K. and Heide,L.
 TITLE cDNA cloning and gene expression of phenylalanine ammonia-lyase in
 Lithospermum erythrorhizon
 JOURNAL Biosci. Biotechnol. Biochem. 61 (12), 1995-2003 (1997)
 PUBMED 9438980
 REMARK NUCLEOTIDE SEQUENCE.
 COMMENT On Apr 12, 2005 this sequence version replaced [gi:7437121](#).
 [FUNCTION] This is a key enzyme of plant metabolism catalyzing the
 first reaction in the biosynthesis from L-phenylalanine of a wide
 variety of natural products based on the phenylpropane skeleton.
 [CATALYTIC ACTIVITY] L-phenylalanine = trans-cinnamate + NH(3).
 [PATHWAY] Phenylpropanoid biosynthesis; first step.
 [SUBCELLULAR LOCATION] Cytoplasmic (Probable).
 [TISSUE SPECIFICITY] Expressed mainly in roots.
 [PTM] Contains an active site 4-methylidene-imidazole-5-one (MIO),
 which is formed autocatalytically by cyclization and dehydration of
 residues Ala-Ser-Gly (By similarity).
 [SIMILARITY] Belongs to the PAL/histidase family.
 FEATURES
 source Location/Qualifiers
 1..705
 /organism="Lithospermum erythrorhizon"
 /db_xref="taxon:[34254](#)"
 Protein 1..705
 /product="Phenylalanine ammonia-lyase 2"
 /EC_number="[4.3.1.5](#)"



Bond bond(191,193)
/bond_type="xlink"
/note="5-imidazolinone (Ala-Gly) (By similarity)."
/evidence=not_experimental
Site 192
/site_type="modified"
/note="2,3-didehydroalanine (Ser) (By similarity)."
/evidence=not_experimental



ORIGIN

```
1  mengngkmef  cmkdplnwgm  aaesmkgshl  devkkmvaef  rkpvvqlagk  tltiaqvaai
61  aarddgvtve  laeaaregvk  assdwvmesm  nkgtdsygvt  tgfgatshrr  tkqggalqke
121  lirflnagif  gngtetshtl  phsatraaml  vrintllggy  sgirfeilea  itkfltnnit
181  pclplrgtit  asgdvlpsly  iaglltgrpn  skavgptgek  lnaeeafrla  gissgffelq
241  pkeglalvng  tavsgsmasm  vlyeanilgv  msevlsavfa  evmngkpeft  dhlthklkhh
301  pgqieaaaam  ehildgsgyv  kaaellhemd  plqkpkqdry  alrtspqwlq  pqievirsat
361  kmiereinsv  ndnplidvsr  nkalhggnfq  gtpigvamdn  trlaiaaigk  llfaqfselv
421  ndyynnglps  nltgsrdpsl  dygfkgaeia  masycselqf  lanpvtnhvq  saeqhnqdv
481  slglissrkt  seaveilkml  sssflvalcq  avdlrhieen  vrlavkktvs  qvakktlnig
541  vdgvlhpsrf  sekellrvvd  reyvfayadd  pcsatypmq  klrevlvsha  lansgnedka
601  stsifhkigv  feeelkgilp  kevenarasv  engtpaipnk  iecrsyply  kfvrgegelte
661  lltgekvrrp  geeldqvfn  lcegklvdpl  lacleawnga  plpic
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Books

Search ☒ for

Limits Preview/Index History Clipboard Details

Range: from to Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: Q42858. Reports Phenylalanine amm...[gi:3024361]

[BLink](#), [Domains](#),
[Links](#)

LOCUS Q42858 708 aa linear PLN 01-MAY-2005
 DEFINITION Phenylalanine ammonia-lyase.
 ACCESSION Q42858
 VERSION Q42858 GI:3024361
 DBSOURCE swissprot: locus PAL2_IPOBA, accession Q42858;
 class: standard.
 created: Jul 15, 1998.
 sequence updated: Jul 15, 1998.
 annotation updated: May 1, 2005.
 xrefs: D78640.1, BAA11459.1, T10909
 xrefs (non-sequence databases): HSSPP21310, InterProIPR008948,
 InterProIPR001106, InterProIPR005922, PfamPF00221,
 TIGRFAMsTIGR01226, PROSITEPS00488
 KEYWORDS Lyase; Multigene family; Phenylpropanoid metabolism.
 SOURCE Ipomoea batatas (sweet potato)
 ORGANISM Ipomoea batatas
 Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 asterids; lamiids; Solanales; Convolvulaceae; Ipomoeae; Ipomoea.
 REFERENCE 1 (residues 1 to 708)
 AUTHORS Tanaka, Y.
 TITLE Direct Submission
 JOURNAL Submitted (??-DEC-1995)
 REMARK NUCLEOTIDE SEQUENCE.
 STRAIN=cv. Beniazuma; TISSUE=Root
 COMMENT On Apr 12, 2005 this sequence version replaced gi:7437130.
 [FUNCTION] This is a key enzyme of plant metabolism catalyzing the
 first reaction in the biosynthesis from L-phenylalanine of a wide
 variety of natural products based on the phenylpropane skeleton.
 [CATALYTIC ACTIVITY] L-phenylalanine = trans-cinnamate + NH(3).
 [PATHWAY] Phenylpropanoid biosynthesis; first step.
 [SUBCELLULAR LOCATION] Cytoplasmic (Probable).
 [PTM] Contains an active site 4-methylidene-imidazole-5-one (MIO),
 which is formed autocatalytically by cyclization and dehydration of
 residues Ala-Ser-Gly (By similarity).
 [SIMILARITY] Belongs to the PAL/histidase family.
 FEATURES
 source Location/Qualifiers
 1..708
 /organism="Ipomoea batatas"
 /db_xref="taxon:4120"
 Protein 1..708
 /product="Phenylalanine ammonia-lyase"
 /EC_number="4.3.1.5"
 Bond bond(194,196)
 /bond_type="xlink"



Site

/note="5-imidazolinone (Ala-Gly) (By similarity)."
 /evidence=not_experimental
 195
 /site_type="modified"
 /note="2,3-didehydroalanine (Ser) (By similarity)."
 /evidence=not_experimental

ORIGIN



```

1 megaianght ndfcikvdpl nwemaadslk gshldevkrm vaefrnpavk iggqtltslr
61 sppiaardna skwssprlpa rresssdwvm nsmnngtdsy gvttgfgats hrrtknghal
121 qqelirflna gifgtgtgas htlphsatra amlvrintl1 qgysgirfei leaitkllnh
181 nitpclplrg titasgdlvp lsyiaglltg rpnskavgpn gealtaeeaf klagvqggff
241 elqpkeglal vngtavsgsm asmvlfearv lavlsevlsa ifaevmngkp eftdhlthkl
301 khhpqgieaa aimehildrs yymkaaqlh emdplqkpkq dryalrtspq wlgppqievir
361 qatkmierei nsvndnplid vsrnkalhgg nfggtpigvs mdnsrlalas igklifaqfs
421 elvndyynng lpsnltagrn psldygfkqv eiamasycse lqflanpvtv hvqsaeqhnq
481 dvnsllglisa rktaeavdvl klmsstylva lcqaidlrhl eenlknavrnl tvnqvakrtl
541 tmgvngelhp srfcekdllr vvdreyvfay addpcsanyp lfqklrqvlv dhalqngehe
601 knvstsifqk iaafedelka vlpkevegar saiengnpai pnrtecrsy plykfvreel
661 gtemltgekv kspgevcdkv ftavcdggii dplleclksw dgaplpic
    
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

[PubMed](#)
[Nucleotide](#)
[Protein](#)
[Genome](#)
[Structure](#)
[PMC](#)
[Taxonomy](#)
[OMIM](#)
[Books](#)

Search for

[Limits](#)
[Preview/Index](#)
[History](#)
[Clipboard](#)
[Details](#)

Range: from to
 Features:
 ☐ SNP
 ☐ CDD
 ☒ MGC
 ☐ HPRD
 ☐ STS

☐ 1: [P19142](#). Reports Phenylalanine amm...[gi:129585]

[BLink](#), [Domains](#),
[Links](#)

LOCUS P19142 712 aa linear PLN 01-MAY-2005
 DEFINITION Phenylalanine ammonia-lyase class II.
 ACCESSION P19142
 VERSION P19142 GI:129585
 DBSOURCE swissprot: locus PAL2_PHAVU, accession [P19142](#);
 class: standard.

created: Nov 1, 1990.
 sequence updated: Nov 1, 1990.
 annotation updated: May 1, 2005.
 xrefs: [S04127](#)

xrefs (non-sequence databases): [HSSPP21310](#), [InterProIPR008948](#),
[InterProIPR001106](#), [InterProIPR005922](#), [PfamPF00221](#),
[TIGRFAMsTIGR01226](#), [PROSITEPS00488](#)

KEYWORDS Lyase; Multigene family; Phenylpropanoid metabolism.

SOURCE *Phaseolus vulgaris*

ORGANISM *Phaseolus vulgaris*

Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 rosids; eurosids I; Fabales; Fabaceae; Papilionoideae; Phaseoleae;
Phaseolus.

REFERENCE 1 (residues 1 to 712)

AUTHORS Cramer,C.L., Edwards,K., Dron,M., Liang,X., Dildine,S.L.,
 Bolwell,G.P., Dixon,R.A., Lamb,C.J. and Schuch,W.

TITLE Phenylalanine ammonia-lyase gene organisation and structure

JOURNAL Plant Mol. Biol. 12, 367-383 (1989)

REMARK NUCLEOTIDE SEQUENCE.

COMMENT On Apr 12, 2005 this sequence version replaced [gi:81877](#).

[FUNCTION] This is a key enzyme of plant metabolism catalyzing the
 first reaction in the biosynthesis from L-phenylalanine of a wide
 variety of natural products based on the phenylpropane skeleton.

[CATALYTIC ACTIVITY] L-phenylalanine = trans-cinnamate + NH(3).

[PATHWAY] Phenylpropanoid biosynthesis; first step.

[SUBCELLULAR LOCATION] Cytoplasmic (Probable).

[PTM] Contains an active site 4-methylidene-imidazole-5-one (MIO),
 which is formed autocatalytically by cyclization and dehydration of
 residues Ala-Ser-Gly (By similarity).

[SIMILARITY] Belongs to the PAL/histidase family.

FEATURES Location/Qualifiers

source 1..712
 /organism="Phaseolus vulgaris"
 /db_xref="taxon:3885"

Protein 1..712
 /product="Phenylalanine ammonia-lyase class II"
 /EC_number="4.3.1.5"

Bond bond(198,200)

Site

```
/bond_type="xlink"  
/note="5-imidazolinone (Ala-Gly) (By similarity)."  
/evidence=not_experimental  
199  
/site_type="modified"  
/note="2,3-didehydroalanine (Ser) (By similarity)."  
/evidence=not_experimental
```


ORIGIN

```
1 mdatpngkda fvvtaanaag dplnwaaaae alsgshldev krmvaeyrpk avrlggqtl  
61 iaqvaataah dqglkvelae saracvkais dwvmesmdkg tdsygittgf gatshrtrkq  
121 ggalqkelir flnagifgng tesnctlpht atraamlvrvt ntllqgyysi rfeileaitk  
181 llnnnitpcl plrgtitasg dlvpalsyia lltgrpnksa vgpsgeilna keafelanig  
241 seffelpke glalvngtav gsglasivlf eanilavlse visaifaevm qgkpeftdhl  
301 thklkhpgq ieaaaimehi ldgssyikaa kklheidplq kpkqdryalr tspqwlpgqi  
361 evirfstksi ereinsvndn plisvsrnka lhggmfqgtp igvsmndntrl aiasigklmf  
421 aqfsdlvndy ynnglpsnlt asrnpsldyg fkgaeiamas ycselqylan pvtshvqsae  
481 qhnqdvnslg lissrktnea leilkmsst flvalcqaid lrhleenlkn tvknvvsqva  
541 krtlttgving elhpsrfcek allkvverey tfayiddpcs gtyplmqklr qvlvdyalan  
601 geneknlnts ifqkiasfee elktllpkev egarlayend qcaipnkikd crsyplykfv  
661 reelgtsllt gekvispgee cdkvfsamcq gkiidpllec lgewngaplp ic
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10



Search for

Limits

Preview/Index

History

Clipboard


Details

Range: from to Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: [CAA57057](#). Reports phenylalanine amm...[gi:535008]

BLink, Domains,
Links

LOCUS CAA57057 718 aa linear PLN 07-DEC-1994
 DEFINITION phenylalanine ammonia-lyase 3 [Petroselinum crispum].
 ACCESSION CAA57057
 VERSION CAA57057.1 GI:535008
 DBSOURCE embl locus PCPAL3, accession [X81159.1](#)
 KEYWORDS .
 SOURCE Petroselinum crispum (parsley)
 ORGANISM Petroselinum crispum



Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 asterids; campanulids; Apiales; Apiaceae; Apioideae; apioid
 superclade; Apium clade; Petroselinum.

REFERENCE 1
 AUTHORS Appert,C., Logemann,E., Hahlbrock,K., Schmid,J. and Amrhein,N.
 TITLE Structural and catalytic properties of the four phenylalanine
 ammonia-lyase isoenzymes from parsley (Petroselinum crispum Nym.)
 JOURNAL Eur. J. Biochem. 225 (1), 491-499 (1994)
 PUBMED [7925471](#)

REFERENCE 2 (residues 1 to 718)
 AUTHORS Appert,C.
 TITLE Direct Submission
 JOURNAL Submitted (22-AUG-1994) C. Appert, Institut fuer
 Pflanzenwissenschaften, Eidgenoessische Technische Hochschule,
 Zuerich, Universitaetsstrasse 2, 8092 Zurich, SWITZERLAND

FEATURES Location/Qualifiers
 source 1..718
 /organism="Petroselinum crispum"
 /db_xref="taxon:4043"
 Protein 1..718
 /product="phenylalanine ammonia-lyase 3"
 /EC_number="4.3.1.5"
 CDS 1..718
 /gene="PAL3"
 /coded_by="X81159.1:89..2245"
 /note="tetramere subunit"
 /db_xref="GOA:P45729"
 /db_xref="UniProt/Swiss-Prot:P45729"



ORIGIN
 1 mayvngttng hangngldlc mkkedplnwg vaaealtgsh ldevkrmvae yrkpvvkleg
 61 etltisqvaa isarddsgvk velseearag vkassdwvmd smnkgtdsyg vttgfgatsh
 121 rrtkqggalq kelirflnag ifgsgaeagn ntlphsatra amlvrintll qgysgirfei
 181 leaitkflnh nitpclplrg titasgdlvp lsyiaglltg rpnskavgpt gvtlspeeaf
 241 klagveggff elqpkeglal vngtavsgsm asmvlfeari lavlaevmsa ifaevmqqkp
 301 eftdhltkl khhpqgieaa aimehildgs ayvkaaqlh emdplqkpkq dryalrtspq
 361 wlqpqievir sstkmierei nsvndnplid vsrnkaihgg nfqgspigvs mdntrlaiaa

421 igklmfaqfs elvndfynng lpsnlsggrn psldygfkga eiamasycse lqflanpvt
481 hvgsaeqhnq dvnslgliiss rktseaveil klmsttflvg lcqaidlrhl eenlkstvk
541 tvsqvakrvl tmgvngelhp srfcekdllr vvdreyifay iddpccsatyp lmqklretlv
601 ehalnngdke rnlstsifqk iaafedelka llpkevetar aalesgnpai pnrikecrsy
661 plykfvreel gteyltgekv rspgeefekv ftamskgeii dplleclesw ngaplpic

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

PubMed Nucleotide **Protein** Genome Structure PMC Taxonomy OMIM Books

Search for

Limits Preview/Index History Clipboard Details

Range: from to Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: AAF40224. Reports phenylalanine amm...[gi:7208616]

BLink, Domains,
Links

LOCUS AAF40224 730 aa linear PLN 19-SEP-2001
 DEFINITION phenylalanine ammonia-lyase 2 [Rubus idaeus].
 ACCESSION AAF40224
 VERSION AAF40224.1 GI:7208616
 DBSOURCE locus AF237955 accession AF237955.1
 KEYWORDS
 SOURCE Rubus idaeus
 ORGANISM Rubus idaeus
 Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 rosids; eurosids I; Rosales; Rosaceae; Rosoideae; Rubus.
 REFERENCE 1 (residues 1 to 730)
 AUTHORS Kumar, A. and Ellis, B.E.
 TITLE The phenylalanine ammonia-lyase gene family in raspberry.
 Structure, expression, and evolution
 JOURNAL Plant Physiol. 127 (1), 230-239 (2001)
 PUBMED 11553751
 REFERENCE 2 (residues 1 to 730)
 AUTHORS Kumar, A. and Ellis, B.E.
 TITLE Direct Submission
 JOURNAL Submitted (23-FEB-2000) The Biotechnology Laboratory and Faculty of
 Agricultural Sciences, University of British Columbia, 344-2357
 Main Mall, Vancouver, BC V6T 1Z4, Canada
 COMMENT Method: conceptual translation supplied by author.
 FEATURES
 Location/Qualifiers
 source 1..730
 /organism="Rubus idaeus"
 /db_xref="taxon:32247"
 /dev_stage="fruit"
 Protein 1..730
 /product="phenylalanine ammonia-lyase 2"
 /EC_number="4.3.1.5"
 /name="PAL; phenylpropanoid; multigene; flavonoid"
 CDS 1..730
 /gene="PAL2"
 /coded_by="AF237955.1:66..2258"

ORIGIN

```



1 mesitqnggh hqngiqngsl ddglciktes iktgysvsdp lnwgaaesm tgshldevrr
61 mvaeyrkpvv klggetltis qvaaiandhs gvkvelaesa ragvkassdw vmdsmnkgtd
121 sygvttgfga tshrrtkqga alqkelirfl nagvlrngte sahtlphsat raamlvrnt
181 llqgysgirf eileaiskfl nhnitpcplpl rgtitasgdl vplsyaigll tgrpnskavg
241 pkgetlnaae afaqvgissg ffelqpkegl alvngtavgs glastvlfet nilallseil
301 saifaevmqg kpeftdhlth klkhhpggie aaaimhild gssyvkaaek lheqdpqlkp
361 kqdryalrts pqwlgpgiev irfstksier einsvndnpl idvsrnkalh ggnfqgtpig
421 vsmdntrlai asigklmfaq fselvnfdyn nglpsnlsdg rdpsldygfk gaeiamasy
  
```

481 selqflanpv tnhvqsaeqh nqdvnsigli ssrktaeavd ilkmsstfl valcqaidlr
541 hleenlkstv kntvsqakr vlttgvgel hpsrfcekd lmvvereylf ayiddpcsat
601 yplmqrlrqv lvehaltnge neknastsif qkitafeeel ktilpkeves araayesgna
661 aipnrivecr syplykfvre elggeflte kvrspgeecd kvftamcqqn iidpildcls
721 gwngelplpic

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Books

Search for

Limits Preview/Index History Clipboard Details

Range: from to
 Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: [P35510](#). Reports Phenylalanine amm...[gi:1171991]
 BLink, Domains, Links

LOCUS P35510 725 aa linear PLN 01-MAY-2005
 DEFINITION Phenylalanine ammonia-lyase 1.
 ACCESSION P35510
 VERSION P35510 GI:1171991
 DBSOURCE swissprot: locus PAL1_ARATH, accession [P35510](#);
 class: standard.
 extra accessions: Q9ZQD6, created: Jun 1, 1994.
 sequence updated: Nov 1, 1995.
 annotation updated: May 1, 2005.
 xrefs: [L33677.1](#), [AAC18870.1](#), [AC006922.7](#), [AAM15324.1](#), [X62747.1](#),
[CAA44609.1](#), [S52990](#)
 xrefs (non-sequence databases): HSSPP21310, InterProIPR008948,
 InterProIPR001106, InterProIPR005922, PfamPF00221,
 TIGRFAMsTIGR01226, PROSITEPS00488
 KEYWORDS Lyase; Multigene family; Phenylpropanoid metabolism.
 SOURCE Arabidopsis thaliana (thale cress)
 ORGANISM *Arabidopsis thaliana*
 Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 rosids; eurosids II; Brassicales; Brassicaceae; Arabidopsis.
 REFERENCE 1 (residues 1 to 725)
 AUTHORS Wanner, L.A., Li, G., Ware, D., Somssich, I.E. and Davis, K.R.
 TITLE The phenylalanine ammonia-lyase gene family in *Arabidopsis thaliana*
 JOURNAL Plant Mol. Biol. 27 (2), 327-338 (1995)
 PUBMED 7888622
 REMARK NUCLEOTIDE SEQUENCE.
 STRAIN=cv. Landsberg erecta
 REFERENCE 2 (residues 1 to 725)
 AUTHORS Lin, X., Kaul, S., Rounsley, S., Shea, T.P., Benito, M.I., Town, C.D.,
 Fujii, C.Y., Mason, T., Bowman, C.L., Barnstead, M., Feldblyum, T.V.,
 Buell, C.R., Ketchum, K.A., Lee, J., Ronning, C.M., Koo, H.L.,
 Moffat, K.S., Cronin, L.A., Shen, M., Pai, G., Van Aken, S., Umayam, L.,
 Tallon, L.J., Gill, J.E., Adams, M.D., Carrera, A.J., Creasy, T.H.,
 Goodman, H.M., Somerville, C.R., Copenhaver, G.P., Preuss, D.,
 Nierman, W.C., White, O., Eisen, J.A., Salzberg, S.L., Fraser, C.M. and
 Venter, J.C.
 TITLE Sequence and analysis of chromosome 2 of the plant *Arabidopsis thaliana*
 JOURNAL Nature 402 (6763), 761-768 (1999)
 PUBMED 10617197
 REMARK NUCLEOTIDE SEQUENCE [LARGE SCALE GENOMIC DNA].
 STRAIN=cv. Columbia
 REFERENCE 3 (residues 1 to 725)
 AUTHORS Ohl, S., Hedrick, S.A., Chory, J. and Lamb, C.J.
 TITLE Functional properties of a phenylalanine ammonia-lyase promoter

from Arabidopsis
 JOURNAL Plant Cell 2 (9), 837-848 (1990)
 PUBMED 2152131
 REMARK NUCLEOTIDE SEQUENCE OF 1-240.
 STRAIN=cv. Columbia
 COMMENT On or before Apr 12, 2005 this sequence version replaced
 gi:1076369, gi:548456.
 [FUNCTION] This is a key enzyme of plant metabolism catalyzing the
 first reaction in the biosynthesis from L-phenylalanine of a wide
 variety of natural products based on the phenylpropane skeleton.
 [CATALYTIC ACTIVITY] L-phenylalanine = trans-cinnamate + NH(3).
 [PATHWAY] Phenylpropanoid biosynthesis; first step.
 [SUBCELLULAR LOCATION] Cytoplasmic (Probable).
 [PTM] Contains an active site 4-methylidene-imidazole-5-one (MIO),
 which is formed autocatalytically by cyclization and dehydration of
 residues Ala-Ser-Gly (By similarity).
 [SIMILARITY] Belongs to the PAL/histidase family.

FEATURES

	Location/Qualifiers
<u>source</u>	1..725 /organism="Arabidopsis thaliana" /db_xref="taxon: <u>3702</u> "
<u>gene</u>	1..725 /gene="PAL1" /locus_tag="At2g37040" /note="synonym: T1J8.22"
<u>Protein</u>	1..725 /gene="PAL1" /locus_tag="At2g37040" /product="Phenylalanine ammonia-lyase 1" /EC_number=" <u>4.3.1.5</u> "
<u>Bond</u>	bond(211,213) /gene="PAL1" /locus_tag="At2g37040" /bond_type="xlink" /note="5-imidazolinone (Ala-Gly) (By similarity)." /evidence=not_experimental
<u>Site</u>	212 /gene="PAL1" /locus_tag="At2g37040" /site_type="modified" /note="2,3-didehydroalanine (Ser) (By similarity)." /evidence=not_experimental
<u>Region</u>	329 /gene="PAL1" /locus_tag="At2g37040" /region_name="Conflict" /note="V -> I (in Ref. 2)." /evidence=experimental
<u>Region</u>	426 /gene="PAL1" /locus_tag="At2g37040" /region_name="Conflict" /note="R -> A (in Ref. 2)." /evidence=experimental
<u>Region</u>	612 /gene="PAL1" /locus_tag="At2g37040" /region_name="Conflict" /note="V -> I (in Ref. 2)." /evidence=experimental



ORIGIN

1 meingahksn gggvdamlcg gdiktknmvi naedplnwga aaeqmkgshl devkrmvaef
61 rkpvnlgge tltigqvaai stigsnvkve lsetaragvn assdwvmesm nkgtdsygvt
121 tgfgatshrr tkngvalqke lirflnagif gstketshtl phsatraaml vrintllqgf
181 sgirfeilea itsflnnnit pslplrgrtit asgdlvpls iaglltgrpn skatgpngea
241 ltaeeafkla gissgffdlq pkeglalvng tavgsgmasm vlfetnvlsv laeilsavfa
301 evmsgkpeft dhlthrlkhh pgqieaaaavm ehildgssym klaqklhemd plqkpkqdry
361 alrtspqwlq pqieviryat ksiereinsv ndnplidvsr nkaihggnfq gtpigvsmdn
421 trlairaigk lmfaqfselv ndfynnglps nltasrnpsl dygfkgaia masycselqy
481 lanpvtshvq saeqhnqdv nslglissrkt seavdilklm sttflvaicq avdlrhleen
541 lrqtvkntvs qvakkvlttg vngelhpsrf cekdllkvvd reqvytyadd pcsatypli
601 klrqvivdha lvngesekna vtsifhkiga feeelkavlp keveaaraay dngtsaipnr
661 ikecrsyply rfvreelgte lltgekvts pgefdkvfta icegkiidpm meclnewnga
721 pipic

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Books

Search ☒ for

Limits Preview/Index History Clipboard Details

☒ ☒

Range: from to Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: [CAA35886](#). Reports phenylalanine amm...[gi:3294]

BLink, Domains,
Links

LOCUS CAA35886 716 aa linear PLN 28-NOV-1996
 DEFINITION phenylalanine ammonia-lyase [Rhodosporidium toruloides].
 ACCESSION CAA35886
 VERSION CAA35886.1 GI:3294
 DBSOURCE embl locus RTPAL2, accession [X51513.1](#)
 KEYWORDS .
 SOURCE Rhodosporidium toruloides
 ORGANISM [Rhodosporidium toruloides](#)
 Eukaryota; Fungi; Basidiomycota; Urediniomycetes;
 Microbotryomycetidae; Sporidiobolales; Rhodosporidium.
 REFERENCE 1 (residues 1 to 716)
 AUTHORS Rasmussen, O.F. and Oerum, H.
 TITLE Analysis of the gene for phenylalanine ammonia-lyase from
 Rhodosporidium toruloides
 JOURNAL DNA Seq. 1 (3), 207-211 (1991)
 PUBMED [1773059](#)
 REFERENCE 2 (residues 1 to 716)
 AUTHORS Petersen, S.K.
 TITLE Direct Submission
 JOURNAL Submitted (23-JAN-1990) Petersen S.K., Genetic Engineering Group,
 Technical University of Denmark, Building 227, DK 2800 Lyngby,
 Denmark
 COMMENT See also <M18261> for R.toruloides strain IFO 0559 pal gene.
 FEATURES
 source 1..716
 /organism="Rhodosporidium toruloides"
 /strain="CBS 14"
 /db_xref="taxon:5286"
 /clone_lib="Centraalbureau voor Schimmelcultures"
 Protein 1..716
 /product="phenylalanine ammonia-lyase"
 CDS 1..716
 /gene="pal"
 /coded_by="join(X51513.1:519..829,X51513.1:919..1005,
 X51513.1:1067..1201,X51513.1:1259..1835,
 X51513.1:1897..2063,X51513.1:2123..2411,
 X51513.1:2468..3052)"
 /db_xref="GOA:P11544"
 /db_xref="UniProt/Swiss-Prot:P11544"
 ORIGIN
 1 mapsldsish sfangvasak qavngastnl avagshlptt qvtqvdivk mlaaptdstl
 61 eldgyslnlg dvvsarkgr prvkdsdei rskidsvef lrsqlmsvy gvttgfggsa
 121 dtrtedaisl qkallehqlc gvlpsfsdf rlgrglensl plevvrgamt irvnsltrgh
 181 savrlvlea ltnflnhgit pivplrgtis asgdlsplsy iaaaisghpd skvhvvhgk
 241 ekilyaream alfnlepavl gpkeglglvn gtavsmat lalhdahmls llsqslamt





```
301 veamvghags fhpflhdvtr phptqievag nirklllegs favhheevk vkddgilrq
361 dryplrtpsq wlgplvsdli hahavltiea ggsttdnpli dvenktshhg gnfgaaavan
421 tmektrlgla qigklnftql temlnagmnr glpsclaaed pslyhckgl diaaaaytse
481 lghlanpvtv hvqpaemang avnslalisa rrttesndvl slllathlyc vlqaidlrai
541 efefkkqfgp aivslidqhf gsamtgsnlr delvekvnt lakrleqtms ydlvprwhda
601 fsfaagtve vlsstslsla avnawkvaa esaislrqv retfwsaast sspalsylsp
661 rtqilyafvr eelgvkarrg dvflgkgevt igsnvskiye aiksgrinnv llkmla
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10



Search ☒ for

Limits Preview/Index History Clipboard Details

☒ ☒

Range: from to Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: [AAA33883](#). Reports phenylalanine amm...[gi:169746]

[BLink](#), [Domains](#),
[Links](#)

LOCUS AAA33883 693 aa linear PLN 27-APR-1993
 DEFINITION phenylalanine ammonia-lyase.
 ACCESSION AAA33883
 VERSION AAA33883.1 GI:169746
 DBSOURCE locus RHPAL accession [M18261.1](#)
 KEYWORDS .
 SOURCE Rhodosporidium toruloides
 ORGANISM [Rhodosporidium toruloides](#)
 Eukaryota; Fungi; Basidiomycota; Urediniomycetes;
 Microbotryomycetidae; Sporidiobolales; Rhodosporidium.
 REFERENCE 1 (residues 1 to 693)
 AUTHORS Anson,J.G., Gilbert,H.J., Oram,J.D. and Minton,N.P.
 TITLE Complete nucleotide sequence of the Rhodosporidium toruloides gene
 coding for phenylalanine ammonia-lyase
 JOURNAL Gene 58 (2-3), 189-199 (1987)
 PUBMED [2828184](#)
 COMMENT Method: conceptual translation.
 FEATURES Location/Qualifiers
 source 1..693
 /organism="Rhodosporidium toruloides"
 /db_xref="taxon:[5286](#)"
 Protein 1..693
 /name="phenylalanine ammonia-lyase"
 CDS 1..693
 /coded_by="join(M18261.1:354..595,M18261.1:687..773,
 M18261.1:835..969,M18261.1:1027..1603,M18261.1:1665..1831,
 M18261.1:1891..2179,M18261.1:2236..2820)"



ORIGIN

```


1 maprptsqsg artcpttqvt qvdivekmla aptdstleld gyslnlgdvv saarkgrpvr
61 vkdsdeirsk idksveflrs qlmsvygvt tgfggsadtr tedaislqka llehqlcgvl
121 pssfdsfrlg rglenslple vvirgamtirv nsltrghsav rlvvlealt n flnhgitpiv
181 plrgtisasg dlsplsyiaa aisghpdkv hvvhgkeki lyareamalf nlepvvlgpk
241 eglglvngta vsasmatlal hdahmlslls qsltamvea mvghagsfhp flhdvtrphp
301 tqievagnir kllegsrfav hheeevkvkd degilrqdry plrtspqwlg plvsdliha
361 avltieagqs ttdnplidve nktshhggnf gaaavantme ktrlglaqig klnftqltem
421 lnagmnrqlp sclaaedpsl syhckgldia aaaytselgh lanpvtthvq paemanqavn
481 slalisarrt tesndvlsll lathlycvlq aidlraiefe fkkqfgpaiv slidqhfgsa
541 mtgsnlrdel vekvnktlak rleqtnsydl vprwhdafsf aagt vvevls stslslaavn
601 awkvaasesa isltrqvret fwsaastssp alsylsprtq ilyafvree l gvkarrgdvf
661 lgkqevtigs nvskiyeaik sgrinnvllk mla

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10



Search **Protein** for


Limits Preview/Index History Clipboard Details

Range: from to Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ **1: 1314202A**. Reports Phe ammonia lyase...[gi:225818]

BLink, Domains,
Links

LOCUS 1314202A 705 aa linear PLN 05-APR-1996
 DEFINITION Phe ammonia lyase.
 ACCESSION 1314202A
 VERSION 1314202A GI:225818
 DBSOURCE prf: locus 1314202A;



state: glioblastoma derived T cell;
 taxonomy: Fungi.

KEYWORDS Phe Ammonia Lyase; pal Gene; Rhodosporidium toruloides;
 cDNA/Genomic Clone; Seq Determination; 2980bp; 582AAs; Exon x7; Seq
 Comparison; Codon Usage.

SOURCE Rhodosporidium toruloides

ORGANISM Rhodosporidium toruloides

Eukaryota; Fungi; Basidiomycota; Urediniomycetes;
 Microbotryomycetidae; Sporidiobolales; Rhodosporidium.

REFERENCE 1 (residues 1 to 705)

AUTHORS Anson, J.G., Gilbert, H.J., Oram, J.D. and Minton, N.P.

TITLE Complete nucleotide sequence of the Rhodosporidium toruloides gene
 coding for phenylalanine ammonia-lyase

JOURNAL Gene 58(2/3), 189-199 (1987)

COMMENT gene.pal exon.x7.

FEATURES Location/Qualifiers

source 1..705

/organism="Rhodosporidium toruloides"

/db_xref="taxon:5286"

ORIGIN

```



1 maprptsqsq artcpttqvt qvdivekmla aptdstleld gyslnlgdvv saarkgrpvr
61 vkdsdeirsk idksveflrs qlsmsvygvt tgfggsadtr tedaislqka llehqdaish
121 qkalcgvlpv sfdsfrlgrg lenslplevv rgamtirvns ltrghsavrl vvlealtnfl
181 nhgitpivpl rgtisasgdl splsyiaaai sgphdskvhv vhegkekily areamalfnl
241 epvvlgpkeg lglvngtavs asmatlaldh ahmlsllsqv ltamtveamv ghagsfhpfl
301 hdvtrphptq ievagnirk1 legsrfavhh eeekvkvdde gilrqdrypl rtspqwlqpl
361 vsdliahahv ltieaggstt dnplidvenk tshhggnfqa aavantmekt rlglaqigkl
421 nftqltemln agmnrqlpsc laaedpslsy hckgldiaaa aytselghll nftanpvtth
481 vqpaemanqa vnslalisar rttesndvls lllathlycv lqaidlraie fefkkqfgpa
541 ivslidqhfg samtgsnlrd elvekvntkl akrleqtmsy dlvrwhdaf sfaagtvvvev
601 lsstslslaa vnawkvaaae saisltrqvr etfwsaasts spalsylspr tqilyafvre
661 elgvkarrgd vflgkqevti gsnvskiyea iksgrinnvl lkmla

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

[PubMed](#)
[Nucleotide](#)
[Protein](#)
[Genome](#)
[Structure](#)
[PMC](#)
[Taxonomy](#)
[OMIM](#)
[Books](#)

Search ☒ for

[Limits](#)
[Preview/Index](#)
[History](#)
[Clipboard](#)
[Details](#)

☒

☒

Range: from to
 Features:
 ☐ SNP
 ☐ CDD
 ☒ MGC
 ☐ HPRD
 ☐ STS

☐ 1: CAA31486. Reports phenylalanine amm...[gi:295942]

BLink, Domains,
Links

LOCUS CAA31486 713 aa linear PLN 30-MAR-1999
 DEFINITION phenylalanine ammonia-lyase [Rhodotorula mucilaginosa].
 ACCESSION CAA31486
 VERSION CAA31486.1 GI:295942
 DBSOURCE embl locus RRPAL, accession [X13094.1](#)
 KEYWORDS .
 SOURCE Rhodotorula mucilaginosa
 ORGANISM [Rhodotorula mucilaginosa](#)
 Eukaryota; Fungi; Basidiomycota; Urediniomycetes;
 Microbotryomycetidae; Sporidiobolales; mitosporic Sporidiobolales;
 Rhodotorula.

REFERENCE 1
 AUTHORS Filpula,D., Vaslet,C.A., Levy,A., Sykes,A. and Strausberg,R.L.
 TITLE Nucleotide sequence of gene for phenylalanine ammonia-lyase from
 Rhodotorula rubra
 JOURNAL Nucleic Acids Res. 16 (23), 11381 (1988)
 PUBMED [3205749](#)

REFERENCE 2 (residues 1 to 713)
 AUTHORS Filpula,D.
 TITLE Direct Submission
 JOURNAL Submitted (28-SEP-1988) Filpula D., Genex Corporation, 16020
 Industrial Drive, Gaithersburg, MD 20877, USA

FEATURES Location/Qualifiers
 source 1..713
 /organism="Rhodotorula mucilaginosa"
 /strain="NRRLY-15597"
 /db_xref="taxon:5537"
 Protein 1..713
 /product="phenylalanine ammonia-lyase"
 CDS 1..713
 /gene="PAL"
 /coded_by="join(X13094.1:646..974,X13094.1:1062..1148,
 X13094.1:1231..1930,X13094.1:2011..2177,
 X13094.1:2247..2409,X13094.1:2484..3179)"
 /db_xref="GOA:P10248"
 /db_xref="UniProt/Swiss-Prot:P10248"



ORIGIN
 1 mapsvdsiat svanslsngl haaaaanggd vhkktagags llpttettql diverilada
 61 gatdqikldg ytltlgdvvg aarrgrsvkv adsphireki dasveflrtq ldnsvygvtt
 121 gfggsadtrt edaislqkal lehqlcgvlp tsmdgfalgr glenslplev vrgamtirvn
 181 sltrghsavr ivlealtnf lnhgitpivp lrgtisagds lsplsyaas itghpdskvh
 241 vdgkimsaqe aialkglpqv vlgpkeglvl vngtavsasm atlaltdahv lsllaqalta
 301 ltveamvgha gsfhpfldhv trphptgiev arnirtlleg skyavhhete kvvkddgil
 361 rqdryplrsc pqwlgplvsd mihahavlsl eaggsttdnp lidlenkmth hggafmassv
 421 gntmektrla valmgkvsft qltemlnagm nralpsclaa edpslsyhck gldiaaaayt

481 selghlanpv sthvgpaemg ngainslali sarrtaeand vlsillathl ycvlgavdlr
541 amefehtkaf epmvteilkq hfgalataev edkvrksiyk rlqgnnsydl egrwhdtfsv
601 atgavveala ggevslasln awkvacaeka ialtrsvrds fwaapssssp alkylsprtr
661 vlysfvreev gvkarrgdvy lgkqevtigt nvsriyeaik sgciapvlvk mma

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Books

Search for

Limits Preview/Index History Clipboard Details

Range: from to Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: [CAA09013](#). Reports phenylalanine amm...[gi:4127289]

BLink, Domains,
Links

LOCUS CAA09013 740 aa linear PLN 15-APR-2005
 DEFINITION phenylalanine ammonium lyase [*Amanita muscaria*].
 ACCESSION CAA09013
 VERSION CAA09013.1 GI:4127289
 DBSOURCE embl locus AAJ10143, accession [AJ010143.1](#)
 KEYWORDS
 SOURCE *Amanita muscaria* (fly agaric)
 ORGANISM *Amanita muscaria*

Eukaryota; Fungi; Basidiomycota; Hymenomycetes; Homobasidiomycetes;
 Agaricales; Amanitaceae; Amanita.

REFERENCE 1
 AUTHORS Nehls,U., Ecke,M. and Hampp,R.
 TITLE Sugar- and nitrogen-dependent regulation of an *Amanita muscaria*
 phenylalanine ammonium lyase gene
 JOURNAL J. Bacteriol. 181 (6), 1931-1933 (1999)
 PUBMED [10074091](#)

REFERENCE 2 (residues 1 to 740)
 AUTHORS Nehls,U.
 TITLE Direct Submission
 JOURNAL Submitted (05-AUG-1998) Nehls U., Universitaet Tuebingen,
 Botanisches Institut, Physiologische Oekologie der Pflanzen, Auf
 der Morgenstelle 1, Tuebingen 72076, GERMANY

FEATURES
 source 1..740
 /organism="Amanita muscaria"
 /db_xref="taxon:41956"
 Protein 1..740
 /product="phenylalanine ammonium lyase"
 CDS 1..740
 /gene="PAL"
 /coded_by="AJ010143.1:18..2240"
 /db_xref="GOA:O93967"
 /db_xref="InterPro:IPR001106"
 /db_xref="InterPro:IPR005922"
 /db_xref="InterPro:IPR008948"
 /db_xref="UniProt/Swiss-Prot:O93967"



ORIGIN
 1 mgldnsknta kffdlpkavh gmngttpvng fkatalskas rtmtktsals qfleayrele
 61 gykngraiqv dgqtlsiaav aaaarynaav eldesplvke rvrksqlaia nkvstgasvy
 121 glstgfggsa dtrtdkpmll gfallqhqv gilptstapl dvlpqldann tsmpeawirg
 181 ailirmsli rghsgirwel iekmrellaa nvipvvplrg siassgdls lsyiahtiig
 241 npsikvyhgp sksgirqigs skdvlalhni epfpleskep lgilngtafs asvaalalne
 301 aihlvllaqv ctamgteali gtrashapfi hatarphpgq vecaeniwnl ldgsklaqle
 361 ehevrleddk ytlrqdrypl rtspqflgpq iediisafqt vtqecnylpa tdnplidget
 421 geshhggnfq amavtnamek trlalhvhgk llfsqstelv npamnrglpp svaatdpsln


```
481 yhakgldiat aayvaeatpg pthiqsaemh ngavnsalali saratitsle vltsliasyl
541 yilcgalldr alqreflpgl diiireelrs sfgsflsseq meklqqnlts afedhldktt
601 tmdntdrmtt maatsssvll qfftdsgasv ppsscdllss vssfqssvat rssvlmddlr
661 keyifgdrgp tpaqyigkt rpvyqfirtt igvrkhgsen ynkfynglgv edvtigqnis
721 riyesirdgk mgsiivslfd
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

[PubMed](#)
[Nucleotide](#)
[Protein](#)
[Genome](#)
[Structure](#)
[PMC](#)
[Taxonomy](#)
[OMIM](#)
[Books](#)

Search for

[Limits](#)
[Preview/Index](#)
[History](#)
[Clipboard](#)
[Details](#)

Range: from to
 Features:
 ☐ SNP
 ☐ CDD
 ☒ MGC
 ☐ HPRD
 ☐ STS

☐ 1: AAC18871. Reports phenylalanine amm...[gi:497421]

[BLink](#),
 [Domains](#),
 [Links](#)

LOCUS AAC18871 717 aa linear PLN 04-JUN-1998
 DEFINITION phenylalanine ammonia lyase [Arabidopsis thaliana].
 ACCESSION AAC18871
 VERSION AAC18871.1 GI:497421
 DBSOURCE locus ATHPAL2 accession [L33678.1](#)
 KEYWORDS .
 SOURCE Arabidopsis thaliana (thale cress)
 ORGANISM [Arabidopsis thaliana](#)
 Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 rosids; eurosids II; Brassicales; Brassicaceae; Arabidopsis.
 REFERENCE 1 (residues 1 to 717)
 AUTHORS Wanner,L.A., Li,G., Ware,D., Somssich,I.E. and Davis,K.R.
 TITLE The phenylalanine ammonia-lyase gene family in Arabidopsis thaliana
 JOURNAL Plant Mol. Biol. 27 (2), 327-338 (1995)
 PUBMED [7888622](#)
 COMMENT Method: conceptual translation.
 FEATURES Location/Qualifiers
 source 1..717
 /organism="Arabidopsis thaliana"
 /strain="Columbia"
 /db_xref="taxon:3702"
 /tissue_lib="MboI partial digestion in lambda EMBL4"
 Protein 1..717
 /product="phenylalanine ammonia lyase"
 /EC_number="4.3.1.5"
 CDS 1..717
 /gene="PAL2"
 /coded_by="join(L33678.1:1466..1869,L33678.1:2080..3829)"

ORIGIN

```


1 mdqieamlcg ggektkvavt tktladplnw glaadqmkgs hldevkkmve eyrrpvvnlg
61 getltigqva aistvggsvk velaetsrag vkassdwvme smnkgtdsyg vttgfgatsh
121 rrtkngtalq telirflnag ifgntketch tlpqsatraa mlvrvtllq gysgirfeil
181 eaitsllnhn ispslplrgt itasghlvpl syiaglltgr pnskatgpdg esltekeafe
241 kagistgffd lqpkeglalv ngtagvsgma smvlfeanvq avlaevlsai faevmsgkpe
301 ftdhlthrlk hhpqgieaaa imehildgss ymklaqkvhe mdplqkpkqd ryalrtspqw
361 lgpqievirg atksierein svndnplidv srnkaihggg fggtpigvsm dntrlaiaai
421 gklmfaqfse lvndfyngl psnltassnp sldygfkgaie iamasycsel qylanpvtsh
481 vgsaeqhnqd vnsllglissr ktseavdilk lmsttflvgi cqavdlrhle enlrqvtknt
541 vsqvakkvlt tgingelhps rfcekdllkv vdreqvftyv ddpcsatypl mqrllrqvld
601 halsngetek navtsifqki gafeeelkav lpkeveaara aynggtapip nrikecrsy
661 lyrfvreeelg tklltgekvv spgeefdkvf tamcegklid plmdclkwenn gapipic
  
```

//

[Disclaimer](#) | [Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10



Search for

Limits Preview/Index History Clipboard Details

Range: from to Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: [P45730](#). Reports Phenylalanine amm...[gi:1172001]

[BLink](#), [Domains](#),
[Links](#)

LOCUS P45730 715 aa linear PLN 01-MAY-2005

DEFINITION Phenylalanine ammonia-lyase.

ACCESSION P45730

VERSION P45730 GI:1172001

DBSOURCE swissprot: locus PALY_POPTR, accession [P45730](#);
class: standard.
created: Nov 1, 1995.
sequence updated: Nov 1, 1995.
annotation updated: May 1, 2005.
xrefs: [L11747.1](#), [AAA33805.1](#)
xrefs (non-sequence databases): HSSPP21310, InterProIPR008948,
InterProIPR001106, InterProIPR005922, PfamPF00221,
TIGRFAMsTIGR01226, PROSITEPS00488

KEYWORDS Lyase; Multigene family; Phenylpropanoid metabolism.

SOURCE *Populus trichocarpa* (*Populus balsamifera* subsp. *trichocarpa*)

ORGANISM *Populus trichocarpa*
Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
rosids; eurosids I; Malpighiales; Salicaceae; Saliceae; *Populus*.

REFERENCE 1 (residues 1 to 715)

AUTHORS Subramaniam,R., Reinold,S., Molitor,E.K. and Douglas,C.J.

TITLE Structure, inheritance, and expression of hybrid poplar (*Populus trichocarpa* x *Populus deltoides*) phenylalanine ammonia-lyase genes

JOURNAL Plant Physiol. 102 (1), 71-83 (1993)

PUBMED 8108506

REMARK NUCLEOTIDE SEQUENCE.
STRAIN=P.trichocarpa X P.deltoides; TISSUE=Leaf


COMMENT [FUNCTION] This is a key enzyme of plant metabolism catalyzing the first reaction in the biosynthesis from L-phenylalanine of a wide variety of natural products based on the phenylpropane skeleton.
[CATALYTIC ACTIVITY] L-phenylalanine = trans-cinnamate + NH₃.
[PATHWAY] Phenylpropanoid biosynthesis; first step.
[SUBCELLULAR LOCATION] Cytoplasmic (Probable).
[PTM] Contains an active site 4-methylidene-imidazole-5-one (MIO), which is formed autocatalytically by cyclization and dehydration of residues Ala-Ser-Gly (By similarity).
[SIMILARITY] Belongs to the PAL/histidase family.

FEATURES

source 1..715
/organism="Populus trichocarpa"
/db_xref="taxon:3694"

gene 1..715
/gene="PAL"

Protein 1..715
/gene="PAL"



```

        /product="Phenylalanine ammonia-lyase"
        /EC_number="4.3.1.5"
Bond      bond(201,203)
          /gene="PAL"
          /bond_type="xlink"
          /note="5-imidazolinone (Ala-Gly) (By similarity)."
```

```

          /evidence=not_experimental
Site      202
          /gene="PAL"
          /site_type="modified"
          /note="2,3-didehydroalanine (Ser) (By similarity)."
```

ORIGIN



```

1 metvtnkgyq ngsleslcvn qrdplswgva aeamkgshld evkrmvadyr kpvvklgget
61 ltiaqvasia ghdtgdvkve lsesarpgvk assdwvmdsm dkgtdsygvt tgfgatshrr
121 tkqggalqke lirflnagif gngtetchtl phsatraaml vrintllqgy sgirfeilea
181 itrllnnnit pclplr tit asgdlvpls y iaglltgrpn skatgptgev ldaaeafkaa
241 giesgffelq pkeglalvng tavsgslasm vlfetnvlav lsellsaifa evmngkpeft
301 dhlthklkhh pgqieaaaam ehildgsaym kaakklhetd plqkpkqdry alrtspqwlq
361 pqievirfst ksiereinsv ndnplidvsr nkaihgggnfq gtpigvsm dn vrlaiasigk
421 llfaqfselv ndfynnglps nltasrnpsl dygfkgaiea masycselq lanpvtthvq
481 saeqhnqgvn slglissrkt aeavdilklm sttflvalcq aidlrhleen lksavkntvs
541 qvskrvlttg angelhpsrf cekellkvvd reyvfayvdd pcsatyplmq klrqvfdha
601 lengeneknf stsvfqkiea feeelkallp kevesaraay dsgnsaidnk ikecrsyply
661 kfvreelgtv lltgekvqsp geefdkvfta mcqgkiidpm leclgewngs plpic
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Books

Search ☒ for

Limits Preview/Index History Clipboard Details

☒ ☒

Range: from to Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: O64963. Reports Phenylalanine amm...[gi:6647711] BLink, Domains, Links

LOCUS O64963 717 aa linear PLN 01-MAY-2005

DEFINITION Phenylalanine ammonia-lyase 1.

ACCESSION O64963

VERSION O64963 GI:6647711

DBSOURCE swissprot: locus PAL1_PRUAV, accession O64963;
class: standard.
created: May 30, 2000.
sequence updated: May 30, 2000.
annotation updated: May 1, 2005.
xrefs: AF036948.1, AAC78457.1
xrefs (non-sequence databases): HSSPP21310, InterProIPR008948,
InterProIPR001106, InterProIPR005922, PfamPF00221,
TIGRFAMsTIGR01226, PROSITEPS00488

KEYWORDS Lyase; Multigene family; Phenylpropanoid metabolism.

SOURCE Prunus avium (sweet cherry)

ORGANISM Prunus avium
Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
rosids; eurosids I; Rosales; Rosaceae; Amygdaloideae; Prunus.

REFERENCE 1 (residues 1 to 717)

AUTHORS Wiersma, P.A. and Wu, Z.

TITLE A full-length cDNA for phenylalanine ammonia-lyase cloned from ripe
Sweet Cherry fruit (Prunus avium)

JOURNAL Unpublished

REMARK NUCLEOTIDE SEQUENCE.
STRAIN=cv. Summit


COMMENT [FUNCTION] This is a key enzyme of plant metabolism catalyzing the
first reaction in the biosynthesis from L-phenylalanine of a wide
variety of natural products based on the phenylpropane skeleton.
[CATALYTIC ACTIVITY] L-phenylalanine = trans-cinnamate + NH(3).
[PATHWAY] Phenylpropanoid biosynthesis; first step.
[SUBCELLULAR LOCATION] Cytoplasmic (Probable).
[PTM] Contains an active site 4-methylidene-imidazole-5-one (MIO),
which is formed autocatalytically by cyclization and dehydration of
residues Ala-Ser-Gly (By similarity).
[SIMILARITY] Belongs to the PAL/histidase family.

FEATURES Location/Qualifiers

source 1..717
/organism="Prunus avium"
/db_xref="taxon:42229"

gene 1..717
/gene="PAL1"

Protein 1..717
/gene="PAL1"
/product="Phenylalanine ammonia-lyase 1"



Bond /EC_number="4.3.1.5"
bond(203,205)
/gene="PAL1"
/bond_type="xlink"
/note="5-imidazolinone (Ala-Gly) (By similarity)."
/evidence=not_experimental
Site 204
/gene="PAL1"
/site_type="modified"
/note="2,3-didehydroalanine (Ser) (By similarity)."
/evidence=not_experimental



ORIGIN

```
1 matnsikqng hkngsvelpe lcikkdplnw gvaaetlkgs hldevkrmva eyrkpvvklg
61 gesltisqva aiathdsgvk velsesarag vkassdwvmd smskgtdsyg vttgfgatsh
121 rrtkqgaalq kelirflnag vfgstkesgh tlphqatraa mlvrintlq gysgirfeil
181 evitkflnnn vtpclplrgt itasgdlvpl syiagmltgr pnskavgpdg qtlsaaeafe
241 fvginsgffe lqpkeglalv ngtavgsgla stvlfdtnil allseilsai faevmqgkpe
301 ftdhlthklk hhpggieaaa imehildgss yvkaakklhe qdplqkpkqd ryalrtspqw
361 lgpqieviry stksiereid svndnplidv srnkahhgn fggtpigvsm dntrlaiasi
421 gklmfaqfse lvndfyngl psnlsggrnp sldygfkgaie iamasycsel qflanpvtmh
481 vqsaeghnqd vnslglissr ktaeavdilc lmsstflval cgaidlrhle enlrntvknt
541 vsqvakrtlt tgvngelhps rfcekdllkv vdreyvfayi ddpcsatypl mqklrqvlve
601 haltngenek nastsifqki vafeeelkvl lpkevdsara aldsgsagvp nritecrsyp
661 lykfvreelg aeyltgekvr spgeecdkvf taicegkiid pildclegwn gaplpic
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

[PubMed](#)
[Nucleotide](#)
[Protein](#)
[Genome](#)
[Structure](#)
[PMC](#)
[Taxonomy](#)
[OMIM](#)
[Books](#)

Search for

[Limits](#)
[Preview/Index](#)
[History](#)
[Clipboard](#)
[Details](#)

Range: from to
 Features:
 ☐ SNP
 ☐ CDD
 ☒ MGC
 ☐ HPRD
 ☐ STS

☐ 1: [P45732](#). Reports Phenylalanine amm...[gi:1172002]

[BLink](#),
 [Domains](#),
 [Links](#)

LOCUS P45732 715 aa linear PLN 01-MAY-2005
 DEFINITION Phenylalanine ammonia-lyase.
 ACCESSION P45732
 VERSION P45732 GI:1172002
 DBSOURCE swissprot: locus PALY_STYHU, accession [P45732](#);
 class: standard.
 created: Nov 1, 1995.
 sequence updated: Nov 1, 1995.
 annotation updated: May 1, 2005.
 xrefs: [L36822.1](#), [AAA99500.1](#)
 xrefs (non-sequence databases): HSSPP21310, InterProIPR008948,
 InterProIPR001106, InterProIPR005922, PfamPF00221,
 TIGRFAMsTIGR01226, PROSITEPS00488
 KEYWORDS Lyase; Phenylpropanoid metabolism.
 SOURCE Stylosanthes humilis (Townsville stylo)
 ORGANISM *Stylosanthes humilis*
 Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 rosids; eurosids I; Fabales; Fabaceae; Papilionoideae;
 Aeschynomeneae; Stylosanthes.
 REFERENCE 1 (residues 1 to 715)
 AUTHORS Manners,J.M., McIntyre,C.L. and Nourse,J.P.
 TITLE Cloning and sequence of a cDNA encoding phenylalanine ammonia-lyase
 from the tropical forage legume *Stylosanthes humilis*
 JOURNAL Plant Physiol. 108 (3), 1301-1302 (1995)
 PUBMED 7630950
 REMARK NUCLEOTIDE SEQUENCE.
 STRAIN=cv. Paterson; TISSUE=Stem
 COMMENT [FUNCTION] This is a key enzyme of plant metabolism catalyzing the
 first reaction in the biosynthesis from L-phenylalanine of a wide
 variety of natural products based on the phenylpropane skeleton.
 [CATALYTIC ACTIVITY] L-phenylalanine = trans-cinnamate + NH(3).
 [PATHWAY] Phenylpropanoid biosynthesis; first step.
 [SUBCELLULAR LOCATION] Cytoplasmic (Probable).
 [PTM] Contains an active site 4-methylidene-imidazole-5-one (MIO),
 which is formed autocatalytically by cyclization and dehydration of
 residues Ala-Ser-Gly (By similarity).
 [SIMILARITY] Belongs to the PAL/histidase family.
 FEATURES
 source Location/Qualifiers
 1..715
 /organism="Stylosanthes humilis"
 /db_xref="taxon:35628"
 gene 1..715
 /gene="PAL17.1"
 Protein 1..715

Bond /gene="PAL17.1"
/product="Phenylalanine ammonia-lyase"
/EC_number="4.3.1.5"
bond(201,203)
/gene="PAL17.1"
/bond_type="xlink"
/note="5-imidazolinone (Ala-Gly) (By similarity)."
/evidence=not_experimental

Site 202
/gene="PAL17.1"
/site_type="modified"
/note="2,3-didehydroalanine (Ser) (By similarity)."
/evidence=not_experimental



ORIGIN

```
1 mdthanadat fcltanngqq prhdplnwaa aaealkgshl devkrmvsey rkplvnlggq
61 tltisqvaaai aandqgvsvq lseasragvk assdwvmdsm nngtdsygvt tgfgatshrr
121 tkqggalqke lirflnagif gngtetnctl phtatraaml vrintllqgy sgirfeilea
181 itkllnnnit pclplr tit asgdlvpls y iaglltgrpn skavgpnget lnakeafqaa
241 gigsdffelq pkeglalvng tpgvsglasv vlfeanilav lsevlsaifa evmqgkpeft
301 dhlthklkhh pgqieaaaam ehildgssyv kaakklheid plqkpkqdry alrtspqwlq
361 plvevirfst ksiereinsv ndnplidvsr nkalhggnfq gtpigvsm dn trlavasigk
421 lmfaqfselv ndfynglps nlsasrnpsl dygfkgt eia masycselqy lanpvtshvq
481 saeqhnqdv n slglisarkt neaveilk m sptylialcq aidlrhleen lkntvkntvs
541 qvakrtl ttg vngelhpsrf cekdllki vd reycfayidd pcsatyplmq klrqvlveha
601 lanaeneknv ntsifqkitt feeelktllp kevegariay enggsaipnk ikecrsyply
661 kfvreelgte mltgekvrs p geecd klfta mcqgkiidpl lecigewnga plplc
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Books

Search for


Limits Preview/Index History Clipboard Details

Range: from to
 Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: [P45734](#). Reports Phenylalanine amm...[gi:1172003]

[BLink](#), [Domains](#),
[Links](#)

LOCUS P45734 725 aa linear PLN 01-MAY-2005
 DEFINITION Phenylalanine ammonia-lyase.
 ACCESSION P45734
 VERSION P45734 GI:1172003
 DBSOURCE swissprot: locus PALY_TRISU, accession [P45734](#);
 class: standard.
 created: Nov 1, 1995.
 sequence updated: Nov 1, 1995.
 annotation updated: May 1, 2005.
 xrefs: [M91192.1](#), [AAA17993.1](#)
 xrefs (non-sequence databases): HSSPP21310, InterProIPR008948,
 InterProIPR001106, InterProIPR005922, PfamPF00221,
 TIGRFAMsTIGR01226, PROSITEPS00488
 KEYWORDS Lyase; Multigene family; Phenylpropanoid metabolism.
 SOURCE Trifolium subterraneum
 ORGANISM [Trifolium subterraneum](#)
 Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 rosids; eurosids I; Fabales; Fabaceae; Papilionoideae; Trifolieae;
 Trifolium.
 REFERENCE 1 (residues 1 to 725)
 AUTHORS Howles,P.A., Arioli,T. and Weinman,J.J.
 TITLE Characterization of a phenylalanine ammonia-lyase multigene family
 in Trifolium subterraneum
 JOURNAL Gene 138 (1-2), 87-92 (1994)
 PUBMED [8125321](#)
 REMARK NUCLEOTIDE SEQUENCE.
 STRAIN=cv. Karridale; TISSUE=Leaf
 COMMENT [FUNCTION] This is a key enzyme of plant metabolism catalyzing the
 first reaction in the biosynthesis from L-phenylalanine of a wide
 variety of natural products based on the phenylpropane skeleton.
 [CATALYTIC ACTIVITY] L-phenylalanine = trans-cinnamate + NH(3).
 [PATHWAY] Phenylpropanoid biosynthesis; first step.
 [SUBCELLULAR LOCATION] Cytoplasmic (Probable).
 [PTM] Contains an active site 4-methylidene-imidazole-5-one (MIO),
 which is formed autocatalytically by cyclization and dehydration of
 residues Ala-Ser-Gly (By similarity).
 [SIMILARITY] Belongs to the PAL/histidase family.
 FEATURES
 source Location/Qualifiers
 1..725
 /organism="Trifolium subterraneum"
 /db_xref="taxon:3900"
 gene 1..725
 /gene="PAL1"
 Protein 1..725



Bond /gene="PAL1"
/product="Phenylalanine ammonia-lyase"
/EC_number="4.3.1.5"
bond(211,213)
/gene="PAL1"
/bond_type="xlink"
/note="5-imidazolinone (Ala-Gly) (By similarity)."
/evidence=not_experimental

Site 212
/gene="PAL1"
/site_type="modified"
/note="2,3-didehydroalanine (Ser) (By similarity)."
/evidence=not_experimental


ORIGIN

```
1 mevvaaailk nnindydsfc lthanannmk vnaadplnwg vaaeamkgsh ldevkrmvee
61 yrkpvvrlgg etltisqvaa iaahdgatve lsesaragvk assdwvmesm nkgtdsygvt
121 tgfgatshrr tkqggalqke lirflnagif gngtesnhtl phtatraaml vrintllqgy
181 sgirfeilea itkllnnnit pclplrgtit asgdlvpisy iaglltgrsn skahgpsgem
241 lnakeafqla ginaeffelq pkeglalvng tavgsylasi vlfeanilav lsevlsaifa
301 evmvgkpeft dhlthklkhh pgqieaaaam ehilhgasyv kdakklhemd plqkpkqdry
361 alrtspqwlq plievirfst ksiereinsv ndnplidvsv nkalhggnfq gtpigvsmdn
421 trlalasigk llfaqfselv ndfynnglps nlsasrnpsl dygfkgsia masycselqy
481 lanpvtthvq saeqhngdvn slglissrkt keaieilqlm sstflialcq aidlrhleen
541 lknsvkntvs qvakktltig vsgelhpsrf cekdllkvvd rehvfisyidd pcsatyplaq
601 klrqylvdha lvngesekns ntsifqkiat feeelktllp kevesartay engnstiank
661 ingcrsyply kfvreelgts lltgervisp geedcklfta mcqgkiidpl lkclgewnga
721 plpic
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10



Search for


Limits Preview/Index History Clipboard Details

Range: from to Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: [CAA05251](#). Reports phenylalanine amm...[gi:2631995]

BLink, Domains,
Links

LOCUS CAA05251 713 aa linear PLN 15-APR-2005
 DEFINITION phenylalanine ammonia lyase [Digitalis lanata].
 ACCESSION CAA05251
 VERSION CAA05251.1 GI:2631995
 DBSOURCE embl locus DLJ002221, accession [AJ002221.1](#)
 KEYWORDS .
 SOURCE Digitalis lanata
 ORGANISM Digitalis lanata
 Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 asterids; lamiids; Lamiales; Plantaginaceae; Digitalideae;
 Digitalis.
 REFERENCE 1 (residues 1 to 713)
 AUTHORS Thoeringer,C.
 JOURNAL Unpublished
 REFERENCE 2 (residues 1 to 713)
 AUTHORS Thoeringer,C.
 TITLE Direct Submission
 JOURNAL Submitted (14-NOV-1997) Thoeringer C., Institute of Pharmaceutical
 Biology, Martin-Luther-University Halle, Hoher Weg 7, D-06120,
 GERMANY



FEATURES Location/Qualifiers
 source 1..713
 /organism="Digitalis lanata"
 /db_xref="taxon:49450"
 /clone_lib="Lambda ZAP"
 /dev_stage="leaves"
Protein 1..713
 /product="phenylalanine ammonia lyase"
CDS 1..713
 /coded_by="AJ002221.1:124..2265"
 /db_xref="GOA:O23924"
 /db_xref="InterPro:IPR001106"
 /db_xref="InterPro:IPR005922"
 /db_xref="InterPro:IPR008948"
 /db_xref="UniProt/Swiss-Prot:O23924"

ORIGIN

```

1 maavvenghh gnnghcvkqn dplnwaaae elkgshldev krmveefrkt vvklggetlt
61 isqvaaiaar dneavqlae ssragvkass dwvmesmknk tdsygvttgf gatshrrtkg
121 ggalqkelir flnagifgng testhtlphs atraamlvri ntllqgyysi rfeiletitk
181 flnhnitpcl plrgtitasg dlvpalsyia lltgrpnaska vgpngeslna eqafklagan
241 sglffelpqk eglalvngta vsglasial yeanylslla evmsavfaev mngkpeftdh
301 lthklkhpg qieaaaimeh ildgssyvka aqkmhemdpl qkpkqdryal rtspqwlpgp
361 ievirtatkm iereinsvnd nplidvsrnk alhggngfgt pigvsmdnsr laiasigklm
421 faqfselvnd fynnglpsnl sggrnpsldy gfkgsiama sycselqla npvtnhvsqa



```

481 eqhnqdvnsI glissrktve aldilklmss tylvalcqi dlrhleenlr lsvkntisqv
541 akrtlittgvn gelhpsrfce ldllrvvdre yvfayvddpc satypImqkl rqvIvehalk
601 ngeneknast sifqkieafe aelkavlpke vesarvaled gkpaianrit ecrsyplykf
661 ireelgtnfl tgekvmSPge ecdrvftams kgIivdpllk clegwngapl pic

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10

PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Books

Search for

Limits Preview/Index History Clipboard Details

Range: from to Features: ☐ SNP ☐ CDD ☒ MGC ☐ HPRD ☐ STS

☐ 1: [CAA37129](#). Reports phenylalanine amm...[gi:18377]

[BLink](#), [Domains](#),
[Links](#)

LOCUS CAA37129 713 aa linear PLN 18-AUG-1993
 DEFINITION phenylalanine ammonia-lyase [Glycine max].
 ACCESSION CAA37129
 VERSION CAA37129.1 GI:18377
 DBSOURCE embl locus DMPAL1, accession [X52953.1](#)
 KEYWORDS .
 SOURCE Glycine max (soybean)
 ORGANISM [Glycine max](#)
 Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
 rosids; eurosids I; Fabales; Fabaceae; Papilionoideae; Phaseoleae;
 Glycine.
 REFERENCE 1 (residues 1 to 713)
 AUTHORS Frank,R.L. and Vodkin,L.O.
 TITLE Sequence and structure of a phenylalanine ammonia-lyase gene from
 Glycine max
 JOURNAL DNA Seq. 1 (5), 335-346 (1991)
 PUBMED [1799682](#)
 REFERENCE 2 (residues 1 to 713)
 AUTHORS Frank,R.L.
 TITLE Direct Submission
 JOURNAL Submitted (07-MAY-1990) Frank R.L., University of Missouri-Rolla,
 Life Sciences Department, 105 Schrenk Hall, Rolla, Missouri 65401,
 U.S.A

FEATURES Location/Qualifiers
 source 1..713
 /organism="Glycine max"
 /strain="T225"
 /db_xref="taxon:3847"
 /clone="lambda P10"
 /tissue_type="leaf"
 /clone_lib="lambda charon 35"
 Protein 1..713
 /product="phenylalanine ammonia-lyase"
 /EC_number="4.3.1.5"
 CDS 1..713
 /gene="PAL1"
 /coded_by="join(X52953.1:189..580,X52953.1:2100..3849)"
 /db_xref="GOA:P27991"
 /db_xref="UniProt/Swiss-Prot:P27991"

ORIGIN

1 meatnghqng sfclstakgn ndplnwgaaa eamkgshlde vkrmvayrk pvvrlggetl
 61 tiaqvaavag hdhgvavels esaregvkas sewvmnsmnn gtdsygvttg fgatshrrtk
 121 qggalkkeli rflnagifgn gtessthlph tatraamlvr intllogysg irfeileait
 181 kllnnvtpc ldlrgtitas gdlvplsya glltgrpsnk avgpsgevl nakeafelasi

241 nseffelqpk eglalvngta vsgglasmvl feanilavls evlsaifaev mggkpeftdh
301 lthklkhpg qieaaaimeh ildgssymka akklheidpl qkpkqdryal rtspqwlgpl
361 ievirfstks iereinsvnd nplidvsrnk alhggmfqgt pigvsmdntr lalasigklm
421 faqfselvnd fynnglpsnl tasrnpsldy gfkgaieama sycselqyla npvtthvqsa
481 eqhnqdvns1 glissrktne aieilklmss tflialcqai dlrhleenlk nsvkntvsqv
541 skrilttgvn gelhpsrfce kdllkvvdre yifsyiddpc satyp1mqkl rqv1vdhalv
601 naecekdvns sifqkiaife eelknllpke vegaraayes gkaaipnkiq ecrsyplykf
661 vreelgtgll tgekvrspe efdklftamc qgkiidplme clgewngapl pis

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Feb 9 2005 14:31:10